

## WITHDRAWN: Internal fixation of unstable radial head fracture: A comparison of metallic and biodegradable implants

Young Hak Roh<sup>a,\*</sup>, Sangwoo Kim<sup>a</sup>, Hyun Sik Gong<sup>b</sup>, Goo Hyun Baek<sup>c</sup>

<sup>a</sup> Department of Orthopaedic Surgery, Ewha Womans University Medical Center, Ewha Womans University College of Medicine, 1071 Anyangcheon-ro, Yangcheon-gu, Seoul 07985, South Korea

<sup>b</sup> Department of Orthopaedic Surgery, Seoul National University College of Medicine, Seoul National University Bundang Hospital, 173 Gumi-ro, Bundang-gu, Sungnam 13620, South Korea

<sup>c</sup> Department of Orthopaedic Surgery, Seoul National University College of Medicine, Seoul National University Hospital, 101 Daehak-ro, Jongno-gu, Seoul 03080, South Korea

---

This article has been withdrawn at the request of the author(s) and/or editor. The Publisher apologizes for any inconvenience this may cause.

The full Elsevier Policy on Article Withdrawal can be found at <https://www.elsevier.com/about/our-business/policies/article-withdrawal>.

---

\* Corresponding author.  
E-mail address: [ryhak@hanmail.net](mailto:ryhak@hanmail.net) (Y.H. Roh).